

22.09.2021 // FabAccess Workshop

Basic Information

PI

Password: password

WLAN

SSID: fabaccess_workshop Password: ?fabinfra!

Shelly

IP: 192.168.33.1

PI Preparing

```
# update pi
sudo apt update && sudo apt upgrade

# install docker
curl -fsSL https://get.docker.com | sh
sudo usermod -aG docker pi
sudo pip3 install docker-compose
reboot
```

Install BFFH

```
# clone example repo
git clone https://gitlab.com/fabinfra/fabaccess/dockercompose.git ~/fabaccess_dockercompose
```

Start BFFH

```
cd ~/fabaccess_dockercompose
docker-compose up
```

BFFH Config Dateien

```
nano config/bffh.dhall  
nano config/roles.toml  
nano config/user.toml
```

Shelly Config

```
MQTT Client  
Internet & Security -> Advanced - Developer Settings  
Enable MQTT  
IP Address = Pi IP  
Set MQTT Credentials  
  
Wlan Client  
Internet & Security -> WIFI MODE - CLIENT  
Set WLAN Credentials
```

Version #1

Erstellt: 2024-10-15 10:24:02 CEST von Mario Voigt (Stadtfabrikanten e.V.)

Zuletzt aktualisiert: 2025-02-25 21:22:13 CET von Mario Voigt (Stadtfabrikanten e.V.)